

# CONTROLITE®

Intelligent Daylighting System



FACADE



SKYLIGHT



# INTELLIGENT DAYLIGHTING SYSTEM



CONTROLITE® FEATURES A TRANSLUCENT GLAZING PANEL WITH INTEGRATED, ROTATING LOUVRES THAT ADJUST THEIR POSITION THROUGHOUT THE DAY TO OPTIMISE DAYLIGHT TRANSMISSION LEVELS. THIS ADVANCED SYSTEM ENABLES COMPLETE CONTROL OF THE DESIRED INDOOR LIGHT INTENSITY — ANY TIME OF DAY, ANY TIME OF YEAR.

## COMPLETE CONTROL OF LIGHT AT ALL TIMES

### Maximises daylight in winter, blocks solar heat in summer

Controlite® delivers optimal comfort by controlling daylight transmission and solar heat gain. Its panels enable larger skylights in commercial and public buildings, optimising light and heat - whatever the season.

### Increases comfort through “optimised” daylight

The Controlite® system adapts to changing light conditions throughout the day for effective control of indoor light, shade and solar heat gain.

### Reduces energy consumption

The Controlite® system significantly reduces energy use from air-conditioning, heating, and artificial lighting.

### Integrates sustainable design

Controlite® panels integrate into energy-efficient building design, allowing designers to earn credit points with green building rating systems.

COMFORT. CONVENIENCE. CONTROL.

## HOW IT WORKS

An external sensor detects the direction of the sun and internal sensors register the level of light inside the building. The intelligent system then balances light levels, heat gain and shading to transmit appropriately filtered light, ensuring a comfortable indoor environment.

**Daylight intelligence, creating the ideal balance of light**



Fully closed


Fully opened

## OPTIMIZING DAYLIGHT

Traditional glazing surfaces reflect the low angle light in the morning, afternoon, and winter. They also introduce too much solar radiation at noon, when the angle of incidence is high. **The Controllite® panel optimises sunlight by adjusting the position of the louvres to suit the angle of the sun's rays if necessary.**


- Low angle of incidence (morning, afternoon, winter): The Controllite® system sets the position of the louvres to transmit the maximum amount of daylight.
- High angle of incidence (noon): The opaque face of the louvres reflect solar radiation to achieve the perfect balance of light and comfort, reducing heat gain and saving energy costs.

**Balanced daylighting - light and comfort in perfect harmony**



1. Controllite® Mechanism
2. Danpalon® U Connector
3. 16mm Danpalon® Panel
4. Controllite® Aluminum Glazing System
5. Controllite® Louvres
6. 30mm Twinwall Danpalon® Panel

## LIGHT OPTIMISATION WITH THE CONTROLITE® SOLUTION




Early morning or late afternoon

Summer midday

Cloudy days

## CONTROLITE® COMPARED TO TRADITIONAL GLAZING — SUMMER



Controlite® blocks 80% of solar heat gain (W/m²).



63% of visible daylight is transmitted through Controllite® panels in the OPEN position

5% of visible daylight is transmitted through Controllite® panels in the CLOSED position

## SYSTEM BENEFITS

- Provides optimal comfort in changing daylight conditions
- Offers skylighting surfaces in larger areas
- Withstands weather and temperature extremes
- Saves energy, sustainable design, reduces heating/cooling costs

## CONTROLITE® FOR ROOFING

- Double glazing – Controlite® on interior, Danpalon® 16mm, 1040mm on the exterior
- Module of installation: 1049mm
- Higher thermal insulation
- Free thermal expansion
- Easy maintenance




Design Museum, Israel | Controlite®  
Architect: Ron Arad




## CONTROLITE® FOR FACADES

- Double glazing: Controlite® inside, DP 16mm, 1040mm on the exterior
- Module of installation: 1041mm
- High thermal insulation
- No visible aluminium connections on the outside
- Free expansion of the polycarbonate
- Mechanisms are easy to access and maintain




Sports Hall, France | Controlite®  
Architect: Gremillet



## INTERNAL SOLAR AND THERMAL SIMULATION

Danpal's Smart Energy Simulator predicts and plans the amount of daylight. Using climatic data averages for the location of a given project, Danpal's Smart Energy Simulator can model the way in which Controlite® will adapt to changing weather conditions (allowing internal daylight levels and building energy consumption to be accurately predicted). This allows the energy cost saving and environmental benefits of using Controlite® to be quantified early in the design process.

- Dynamic internal daylight map simulation
- Dynamic internal energy consumption simulation



Lighting map in the first floor (during 22<sup>nd</sup> Sep. 2 PM)


Building annual energy balance, divided by month

Controlite® Skylight | Car Dealership | Israel

## OPTICAL AND THERMAL PROPERTIES

		LIGHT TRANSMISSION (%)	SOLAR TRANSMISSION (%)	SOLAR HEAT GAIN COEFFICIENT (%)	THERMAL INSULATION FACTOR (W/M <sup>2</sup> K)
Controlite®	closed	6	7	17	1.52
	open	60	58	64	1.82
Controlite® + 16mm clear	closed	5	6	18	0.9
	open	37	31	40	1.0
Controlite® + 16mm clear + Softlite	closed	4	7	17	0.9
	open	25	27	35	1.0

Controlite® delivers a variable shading coefficient by changing its solar transmission properties to give architects and designers unlimited flexibility in the design of daylighting solutions.



## COLOUR YOUR ATMOSPHERE WITH THE DANPAL® PALETTE



### ABOUT THE COMPANY

#### Innovative light architecture systems for building envelopes

Danpal® are creators of exceptional light-transmitting architectural systems for building envelopes, providing optimal solar and thermal comfort.

For over 30 years, our innovative systems have helped architects to transform light (both natural and artificial) into a powerful and versatile tool, for architectural creations that are internally and externally radiant.

An industry visionary, Danpal® are originators of the Danpalon® translucent panel standing seam system - a light architecture solution used around the world in commercial, education, transport, health, sports and high-tech projects.

Today, the company offers complete systems - providing total solutions for the building envelope. Danpal® designs, manufactures and distributes an unmatched range of daylighting systems for all types of building requirements - from facades, cladding, roofs, skylights, shading, to interior and outdoor applications.

Danpal® systems are built around innovative technologies, deep architectural know-how and the ever evolving needs of our clients. Operating in five continents, Danpal® inspires architectural creativity with its rainbow of light architecture solutions.

#### Controlite® is an integral part of Danpal's range of systems - giving you a complete solution



FACADES



CLADDING



SKYLIGHTS



OUTDOOR



SHADING



INTERIOR

[www.danpal.com](http://www.danpal.com)

**Danpal®**  
Light Architecture